

HUSKY



HUSKY



FRONT
SHOCK
ABSORBER



NC 250



ECU



MUFFLER



PR 250



REAR
SHOCK
ABSORBER



REAR FORK






ILLUSTRATION OF REAR SUSPENSION OPERATION



HUSKY



FRONT DISC BRAKE



RIGHT HANDLEBAR



LEFT HANDLEBAR



STEERING STEM



SWINGARM



REAR DISC BRAKE



HUSKY



HEADLIGHT



TAILLIGHT



INSTRUMENT



TURNINGLIGHT



HUSKY

SPECIFICATIONS

LENGTH	2260	MM
WIDTH	910	MM
HEIGHT	1265	MM
SEAT HIGHT	950	MM
MIN CLEARANCE	300	MM
WHEEL BASE	1475	MM
CURB WEIGHT	122	KG
TANK CAPACITY	7	L
MAX POWEER	14/8500	KW/RPM
MAX TORQUE	18/6500	N.M/RPM
COMPRESSION RATIO	9.25:1	
BORE*STROKE	72X61.4	MM*MM
FRONT WHEEL SIZE	80/100-21	
REAR WHEEL SIZE	110/100-18	
BATTERY CAPACITY	12V7AH	
COOLING MODE	OIL-COOLED	



LENGTH	2260	MM
WIDTH	910	MM
HEIGHT	1265	MM
SEAT HIGHT	950	MM
MIN CLEARANCE	300	MM
WHEEL BASE	1475	MM
CURB WEIGHT	122	KG
TANK CAPACITY	7	L
MAX POWEER	19/9000	KW/RPM
MAX TORQUE	22.5/7000	N.M/RPM
COMPRESSION RATIO	11.6:1	
BORE*STROKE	77X53.6	MM*MM
FRONT WHEEL SIZE	80/100-21	
REAR WHEEL SIZE	110/100-18	
BATTERY CAPACITY	12V7AH	
COOLING MODE	WATER-COOLED	

